



Effortless label printing for all applications

Effortless label printing - for all applications. The QL-700 uses Brother DK label rolls. Supplied on a spool that incorporates a roll guide, this ensures that the label is always installed correctly, and recognises the size of label inserted. And you get none of the alignment problems associated with printing labels in a traditional printer. So whether you are printing just one label, or several at a time, the Brother QL-700 ensures each label prints perfectly, time after time.



The versatile QL-700 offers easy to use applications, for all labelling requirements.

Key Features:



Plug and print (no software installation required*)



Print up to 93 labels/minute and up to 300 x 600dpi



Built-in automatic label cutter



Includes 2 rolls of labels, software and cables

Packed with features



Simply plug-in and start labelling immediately

The Brother QL-700 label printer offers an easy way to print professional looking labels for a wide range of uses throughout the workplace. We have made label printing easier than ever by incorporating "P-touch Editor Lite" label design software inside the QL-700. Windows users simply need to connect the USB cable, run the software from the pop-up message, then design and print your label. No software or drivers need to be installed.



1. Connect the USB cable When connected to your PC, the QL-700 is identified as a USB flash drive and a new drive letter appears on your computer. This contains the label design software.



2. Run the built-in design software Double-click on the P-touch Editor Lite icon to launch the label design software. As this is built-in to the QL-700 it is always available on whichever PC you connect it to.



3. Design and print your labelSimply design your label by adding text, graphics and frames and then print. No software is installed to your PC during this process.

	Technical Specif
	Hardware
Print Speed	150 mm/sec ¦ 93 standard address labels/min
Print Resolution	300 dpi
Control Panel Buttons	4 buttons: power, P-touch Editor Lite, feed, cut
Interface	USB 2.0
Cutter	Automatic
Print Method	Direct thermal
Power Supply	Internal power supply
Roll Type	DK rolls: DK die-cut labels / DK continuous length tape
Max. roll / print width	62mm / 59mm
Min. /Max. Label print length	12.7mm / 1m
	oftware (P-Touch Editor 5)
Font support / fonts supplied	All installed truetype fonts / 17
	11 styles: Normal, Bold, Italic, Outline, Shadow, Shadow
Font styles	Light, Horizontal, Surround, Frame Out, Inverted Text, Underline
Number of frames	126
Image file formats support	BMP, JPG, JPEG, PNG, TIF, GIF, DIB, WMF, EMF, ICO
Screen capture	Yes
Multi line printing	Yes
Multi block printing	Yes
Vertical printing	Yes
Rotate printing	Yes
Number of copies	2 - 9999
Mirror printing	Yes
Sequential numbering	1 - 5000 / A - Z / a - z
	CODABAR NW-7), UPC-A, UPC-E, EAN-13 (JAN13), EAN-8, ISBN-2 (EAN-13 ddOn2), ISBN-5(EAN-13 AddOn5), POSTNET, Laser Bar Code, GS1 DataBar (RSS (Omnidirectional, Truncated, Stacked), PDF417, QR Code Micro QR code, Data Matrix, Maxicod
Database / file link support	csv, txt, mdb, xls, Microsoft SQL Server Database
Add-in support	Microsoft Word / Excel / Outlook (Offi ce 2000/2003/2007/2010)
Automatic date and time printing	Yes
Languages	English / Danish / Dutch / French / German / Italian / Norwegian / Portuguese / Spanish / Swedish / Finnish / Czech / Polish / Hungarian / Simplifi ed Chinese / Russian Turkish / Japanese
	P-touch Editor Lite
Font support / fonts supplied	All installed truetype fonts / 0
Font styles	4 styles: Normal, Bold, Italic, Underline
Number of frames	10
Image file formats support	BMP, JPG, JPEG, PNG, TIF, GIF, DIB, WMF, EMF, ICO
Screen capture	Yes
Multi line printing	Yes
Multi block printing	Yes
Vertical printing	Yes
Rotate printing	Yes
Number of copies	2 - 200
Mirror printing	Yes
Sequential numbering	1 - 200 / A - Z / a - z
Barcode protocols	No
Database / file link support	No
Add-in support	No
Automatic date and time printing	No
Languages	English / Danish / Dutch / French / German / Italian / Norwegian / Portuguese / Spanish / Swedish / Finnish / Czech / Polish / Hungarian / Simplifi ed Chinese / Slovak / Slovene / Romanian / Croatian / Bulgarian / Russian / Turkish / Japanese / Traditional Chinese / Korean / Traditional Chinese / Korean / Thai / Vietnamese / Arabic

	System Requirements	
Operating Syste	em Windows® XP SP3 or higher, Vista®, Windows®7, Windows®8, Windows®10, Server® 2003, Server® 2008/2008 R2, Server® 20012 Mac OS X 10.5.8 - 10.9, 12, Linux deb, rpm	
Interfa	ice USB (Full Speed), RS-232C	
	Carton Contents	
Includ	QL 700, 2 x starter rolls: - 29 mm x 90 mm standard address labels (100 labels) les - 62 mm continuous length paper tape (8 metres) USB and power cables, CD-ROM containing P-touch Editor 5.0, printer drivers and user guides, Quick setup guide	
Supplies - Die Cut Rolls		
DK-112	01 Paper Label, White Standard Address Label - 29mm x 90mm, 400 labels per roll	
DK-112	02 Paper Label, White Shipping / Name Badge Label - 62mm x 100mm, 300 labels per roll	
DK-112	03 Paper Label, White File Folder Label - 17mm x 87mm, 300 labels per roll	
DK-112	04 Paper Label, White Multi-Purpose Address Label - 17mm x 54mm, 400 labels per roll	
DK-112	08 Paper Label, White Large Address Label - 38mm x 90mm, 400 labels per roll	
DK-112	09 Paper Label, White Small Address Label - 29mm x 62mm, 800 labels per roll	
DK-112	18 Paper Label, White Round Label - 24mm diameter, 1000 labels per roll	
DK-112	19 Paper Label, White Round Label - 12mm diameter, 1200 labels per roll	
DK-112	21 Paper Label, White Square Label - 23mm x 23mm Square Permanent Adhesive, 1000 labels per roll	
DK-112	07 Film Label, White CD/DVD Label - 58mm diameter, 100 labels per roll	
Supplies - Continuous Rolls		
DK-222	05 Paper Roll, White Continuous Paper Roll - 62mm x 30.48m	
DK-222	10 Paper Roll, White Continuous Paper Roll - 29mm x 30.48m	
DK-222	14 Paper Roll, White Continuous Paper Roll - 12mm x 30.48m	
DK-442	05 Paper Roll, White Removable Continuous Paper Roll - 62mm x 30.48M	
DK-446	05 Paper Roll, Yellow Removable Continuous Paper Roll - 62mm x 30.48M	
DK-N552	24 Paper Roll, White Non Adhesive Continuous Paper Roll - 54mm x 30.48M	
DK-221	13 Film Roll, Clear Continuous Film Roll - 62mm x 15.24m	
DK-222	11 Film Roll, White Continuous Film Roll - 29mm x 15.24m	
DK-222	12 Film Roll, White Continuous Film Roll - 62mm x 15.24m	
DK-226	·	
Supplies - Starter Pack		
DK-4V	PA Plastic storage box with 4 starter rolls (CD/DVD labels, address labels, 62mm wide continuous tape and 24mm wide round labels)	
Weights and Dimensions		
Dimension		
Wei		

ations for the QL-700

*Using the built-in P-touch Editor Lite on Microsoft Windows PC's.

Mac users can install P-touch Editor 5.0 software and printer drivers (available in English only)



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

All specifications correct at the time of printing and are subject to change. Label images shown are for illustrative purposes only and some aspects may not be reproducable on this model. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



brotheraustralia



Brother International Australia



BrotherAU

